

CATALOG

NHD LLC



✉ sales@nhd.llc
🌐 www.nhdmedical.com
📍 5321 Industrial Oaks Blv, Ste 111
Austin, Tx. 78735-8823



Product Series

Product Contents



Automatic Pipette Tips



Universal Pipette Tips



Plate
Deep Well Plate / PCR Plate / Silicone Mat / Sealing Film




Reservoir



Tube/Column



Reagent Bottle



Serological Pipettes



Automatic Pipette Tips

Product Features

Automatic Pipette Tips



SBS International Standard

All products conform to SBS international standard, are compatible with most of pipette workstations.



Imported Virgin Material

Imported medical grade polypropylene (PP).



High Temperature Sterilization

Autoclavable at 121°C/15psi.



Low Retention

Smooth tips, no bending, low adsorption, low residue.



Non - Pyrogenic

Non - pyrogen, DNase/RNase Free.



Chemical Resistance

Resistant to chemical reagent during use and storage.



Low Heavy Metal Content

High quality and low heavy metal content.



Traceable

All product package is coded for traceability.




The Applications Of Automatic Pipette Tips

- > **DNA Extraction**
DNA extraction (e.g. PCR).
- > **RNA Applications**
RNA applications (e.g. gene analysis).
- > **Protein Applications**
Protein applications (e.g. antibody studies).
- > **Cell Culture Applications**
Cell culture applications (e.g. media).
- > **Aerosol Bonding Liquid**
All applications using aerosol-bonded liquids.




Compatible With Most Of Workstations

NHD automated pipette tips have an extremely fine shape and extraordinary concentricity, and work seamlessly with many mainstream automated pipette workstations on the market to achieve product-to-product sealing, and most bottom boxes meet SBS international standards.



Low Retention Pipette Tips



Compared with universal pipette tips, low retention pipette tips reduce the adsorption of samples by 3-5 times. Special low adsorption resin makes the inner surface of pipette tips more hydrophobic, significantly reducing sample loss resulting in lower liquid adsorption and better pipette effect. Helps to save expensive reaction reagents, improve pipette accuracy, without precipitation, with 100% material inertness.


Suitable For Machine Model :

 Agilent	Agilent Bravo and Vprep
 BECKMAN COULTER Life Sciences	Beckman, For FX/NX,Multimek AP96 and Biomek3000
 TECAN.	Tecan LIHa, For Genesis Freedom, Freedom Evo
 NAYO 耐优生物技术	NAYO, NAYO 96
 AMTK	AMTK, LH-1510/LH-1510+
 ALLSHENG	ALLSHENG, Au-mate 96, Auto-Pure 4800




Compatibility List For Agilent And Amtk Tips



AMTK



Package: 384 pcs/rack, 96 pcs/rack
Volume: 30uL, 70uL, 250uL
Material: Medical grade polypropylene
Temperature range: -80°C-121°C


Agilent Pipette Tips	Model	Volume(μL)	Sterile	Low-Retention	Filtering	Packing
	VT-384-30-RS	30	✓			384 pcs/rack, 10 racks /box, 5 boxes/carton
	VT-384-30-RSL	30	✓	✓		384 pcs/rack, 10 racks /box, 5 boxes/carton
	VT-384-70-RS	70	✓			384 pcs/rack, 10 racks /box, 5 boxes/carton
	VT-384-70-RSL	70	✓	✓		384 pcs/rack, 10 racks /box, 5 boxes/carton
	VT-250-R	250				96 pcs/rack, 10 racks /box, 5 boxes/carton
	VT-250-RL	250		✓		96 pcs/rack, 10 racks /box, 5 boxes/carton
	VT-250-RS	250	✓			96 pcs/rack, 10 racks /box, 5 boxes/carton
	VT-250-RSL	250	✓	✓		96 pcs/rack, 10 racks /box, 5 boxes/carton
	VTF-250-RS	250	✓		✓	96 pcs/rack, 10 racks /box, 5 boxes/carton
	VTF-250-RSL	250	✓	✓	✓	96 pcs/rack, 10 racks /box, 5 boxes/carton

Compatible with Agilent Bravo and Vprep / AMTK , LH-1510/LH-1510+ automatic liquid handling workstation.

Compatibility List For Beckman And Nayo Tips



Package: 96 pcs/rack
Volume: 50uL, 250uL
Material: Medical grade polypropylene
Temperature range: -80°C-121°C

Beckman Pipette Tips	Model	Volume(μL)	Sterile	Low-Retention	Filtering	Packing
	BK-50-R	50				96 pcs/rack, 10 racks /box, 5 boxes/carton
	BK-50-RL	50		✓		96 pcs/rack, 10 racks /box, 5 boxes/carton
	BK-50-RS	50	✓			96 pcs/rack, 10 racks /box, 5 boxes/carton
	BK-50-RSL	50	✓	✓		96 pcs/rack, 10 racks /box, 5 boxes/carton
	BKF-50-RS	50	✓		✓	96 pcs/rack, 10 racks /box, 5 boxes/carton
	BKF-50-RSL	50	✓	✓	✓	96 pcs/rack, 10 racks /box, 5 boxes/carton
	BK-250-R	250				96 pcs/rack, 10 racks /box, 5 boxes/carton
	BK-250-RL	250		✓		96 pcs/rack, 10 racks /box, 5 boxes/carton
	BK-250-RS	250	✓			96 pcs/rack, 10 racks /box, 5 boxes/carton
	BK-250-RSL	250	✓	✓		96 pcs/rack, 10 racks /box, 5 boxes/carton
	BKF-250-RS	250	✓		✓	96 pcs/rack, 10 racks /box, 5 boxes/carton
	BKF-250-RSL	250	✓	✓	✓	96 pcs/rack, 10 racks /box, 5 boxes/carton

Compatible with Biomek i5 , Biomek i7 NAYO , NAYO 96 automatic liquid handling workstation.

Compatible List For Tecan Transparent Tips





TECAN.



ALLSHENG



Package: 96 pcs/rack
Volume: 20uL , 50uL , 200uL , 1000uL
Material: Medical grade polypropylene
Temperature range: -80°C-121°C

Tecan Tips (Transparent)	Model	Volume(μL)	Sterile	Low-Retention	Filtering	Packing
	TT-20-R	20				96 pcs/rack, 24 racks/carton
	TT-20-RL	20		✓		96 pcs/rack, 24 racks/carton
	TT-20-RS	20	✓			96 pcs/rack, 24 racks/carton
	TT-20-RSL	20	✓	✓		96 pcs/rack, 24 racks/carton
	TTF-20-RS	20	✓		✓	96 pcs/rack, 24 racks/carton
	TTF-20-RSL	20	✓	✓	✓	96 pcs/rack, 24 racks/carton
	TT-50-R	50				96 pcs/rack, 24 racks/carton
	TT-50-RL	50		✓		96 pcs/rack, 24 racks/carton
	TT-50-RS	50	✓			96 pcs/rack, 24 racks/carton
	TT-50-RSL	50	✓	✓		96 pcs/rack, 24 racks/carton
	TTF-50-RS	50	✓		✓	96 pcs/rack, 24 racks/carton
	TTF-50-RSL	50	✓	✓	✓	96 pcs/rack, 24 racks/carton

Compatible with Tecan LiHa / ALLSHENG, Au-mate 96 automated pipetting workstation.

Tecan Tips (Transparent)	Model	Volume(μL)	Sterile	Low-Retention	Filtering	Packing
	TT-200-R	200				96 pcs/rack, 24 racks/carton
	TT-200-RL	200		✓		96 pcs/rack, 24 racks/carton
	TT-200-RS	200	✓			96 pcs/rack, 24 racks/carton
	TT-200-RSL	200	✓	✓		96 pcs/rack, 24 racks/carton
	TTF-200-RS	200	✓		✓	96 pcs/rack, 24 racks/carton
	TTF-200-RSL	200	✓	✓	✓	96 pcs/rack, 24 racks/carton

Compatible with Tecan LiHa / ALLSHENG, Au-mate 96 automated pipetting workstation.

- 1


Tecan Tips (20uL)
Type: sterilized,low retention,Filtering
- 2

Tecan Tips (50uL)
Type: sterilized,low retention,Filtering
- 3

Tecan Tips (200uL)
Type: sterilized,low retention,Filtering
- 4

Tecan Tips (1000uL)
Type: sterilized,low retention,Filtering



Tecan Tips (Transparent)	Model	Volume(μL)	Sterile	Low-Retention	Filtering	Packing
	TT-1000-R	1000				96 pcs/rack, 16 racks/carton
	TT-1000-RL	1000		✓		96 pcs/rack, 16 racks/carton
	TT-1000-RS	1000	✓			96 pcs/rack, 16 racks/carton
	TT-1000-RSL	1000	✓	✓		96 pcs/rack, 16 racks/carton
	TTF-1000-RS	1000	✓		✓	96 pcs/rack, 16 racks/carton
	TTF-1000-RSL	1000	✓	✓	✓	96 pcs/rack, 16 racks/carton

Compatible with Tecan LiHa / ALLSHENG, Au-mate 96 automated pipetting workstation.

Compatible List For Tecan Transparent Tips



Transparent, SBS Rack Box




TECAN.

ALLSHENG

Package: 96 pcs/rack
Volume: 20uL , 50uL , 200uL , 1000uL
Material: Medical grade polypropylene
Temperature range: -80°C-121°C

Tecan Tips (Transparent)	Model	Volume(μL)	Sterile	Low-Retention	Filtering	Packing
	TT-20-H	20				96 pcs/rack, 24 racks/carton
	TT-20-HL	20		✓		96 pcs/rack, 24 racks/carton
	TT-20-HS	20	✓			96 pcs/rack, 24 racks/carton
	TT-20-HSL	20	✓	✓		96 pcs/rack, 24 racks/carton
	TTF-20-HS	20	✓		✓	96 pcs/rack, 24 racks/carton
	TTF-20-HSL	20	✓	✓	✓	96 pcs/rack, 24 racks/carton
	TT-50-H	50				96 pcs/rack, 24 racks/carton
	TT-50-HL	50		✓		96 pcs/rack, 24 racks/carton
	TT-50-HS	50	✓			96 pcs/rack, 24 racks/carton
	TT-50-HSL	50	✓	✓		96 pcs/rack, 24 racks/carton
	TTF-50-HS	50	✓		✓	96 pcs/rack, 24 racks/carton
	TTF-50-HSL	50	✓	✓	✓	96 pcs/rack, 24 racks/carton

Compatible with Tecan LiHa / ALLSHENG, Auto-Pure 4800 automated pipetting workstation.

Tecan Tips (Transparent)	Model	Volume(μL)	Sterile	Low-Retention	Filtering	Packing
	TT-200-H	200				96 pcs/rack, 24 racks/carton
	TT-200-HL	200		✓		96 pcs/rack, 24 racks/carton
	TT-200-HS	200	✓			96 pcs/rack, 24 racks/carton
	TT-200-HSL	200	✓	✓		96 pcs/rack, 24 racks/carton
	TTF-200-HS	200	✓		✓	96 pcs/rack, 24 racks/carton
	TTF-200-HSL	200	✓	✓	✓	96 pcs/rack, 24 racks/carton

Compatible with Tecan LiHa / ALLSHENG, Auto-Pure 4800 automated pipetting workstation.

- 1 Tecan Tips (20uL)
Type: sterilized,low retention,Filtering
- 2 Tecan Tips (50uL)
Type: sterilized,low retention,Filtering
- 3 Tecan Tips (200uL)
Type: sterilized,low retention,Filtering
- 4 Tecan Tips (1000uL)
Type: sterilized,low retention,Filtering



Tecan Tips (Transparent)	Model	Volume(μL)	Sterile	Low-Retention	Filtering	Packing
	TT-1000-H	1000				96 pcs/rack, 16 racks/carton
	TT-1000-HL	1000		✓		96 pcs/rack, 16 racks/carton
	TT-1000-HS	1000	✓			96 pcs/rack, 16 racks/carton
	TT-1000-HSL	1000	✓	✓		96 pcs/rack, 16 racks/carton
	TTF-1000-HS	1000	✓		✓	96 pcs/rack, 16 racks/carton
	TTF-1000-HSL	1000	✓	✓	✓	96 pcs/rack, 16 racks/carton

Compatible with Tecan LiHa / ALLSHENG, Auto-Pure 4800 automated pipetting workstation.

Compatible List For Tecan Conductive Tips




TECAN.


ALLSHENG



Package: 96 pcs/rack
Volume: 20uL , 50uL , 200uL , 1000uL
Material: Medical grade polypropylene
Temperature range: -80°C-121°C

Tecan Tips (conductive)	Model	Volume(µL)	Sterile	Low-Retention	Filtering	Packing
	TT-20C-R	20				96 pcs/rack, 24 racks/carton
	TT-20C-RL	20		✓		96 pcs/rack, 24 racks/carton
	TT-20C-RS	20	✓			96 pcs/rack, 24 racks/carton
	TT-20C-RSL	20	✓	✓		96 pcs/rack, 24 racks/carton
	TTF-20C-RS	20	✓		✓	96 pcs/rack, 24 racks/carton
	TTF-20C-RSL	20	✓	✓	✓	96 pcs/rack, 24 racks/carton
	TT-50C-R	50				96 pcs/rack,24 racks/carton
	TT-50C-RL	50		✓		96 pcs/rack,24 racks/carton
	TT-50C-RS	50	✓			96 pcs/rack,24 racks/carton
	TT-50C-RSL	50	✓	✓		96 pcs/rack, 24 racks/carton
	TTF-50C-RS	50	✓		✓	96 pcs/rack, 24 racks/carton
	TTF-50C-RSL	50	✓	✓	✓	96 pcs/rack, 24 racks/carton


Compatible with Tecan LiHa, For Genesis Freedom, Freedom Evo / ALLSHENG, Auto-Pure 4800 automated pipetting workstation.

Tecan Tips (conductive)	Model	Volume(µL)	Sterile	Low-Retention	Filtering	Packing
	TT-200C-R	200				96 pcs/rack, 24 racks/carton
	TT-200C-RL	200		✓		96 pcs/rack, 24 racks/carton
	TT-200C-RS	200	✓			96 pcs/rack, 24 racks/carton
	TT-200C-RSL	200	✓	✓		96 pcs/rack, 24 racks/carton
	TTF-200C-RS	200	✓		✓	96 pcs/rack, 24 racks/carton
	TTF-200C-RSL	200	✓	✓	✓	96 pcs/rack, 24 racks/carton

Compatible with Tecan LiHa, For Genesis Freedom, Freedom Evo / ALLSHENG, Auto-Pure 4800 automated pipetting workstation.

- 1 Tecan Tips (20uL)
Type: sterilized,low retention,Filtering
- 2 Tecan Tips (50uL)
Type: sterilized,low retention,Filtering
- 3 Tecan Tips (200uL)
Type: sterilized,low retention,Filtering
- 4 Tecan Tips (1000uL)
Type: sterilized,low retention,Filtering



Tecan Tips (conductive)	Model	Volume(µL)	Sterile	Low-Retention	Filtering	Packing
	TT-1000C-R	1000				96 pcs/rack, 16 racks/carton
	TT-1000C-RL	1000		✓		96 pcs/rack, 16 racks/carton
	TT-1000C-RS	1000	✓			96 pcs/rack, 16 racks/carton
	TT-1000C-RSL	1000	✓	✓		96 pcs/rack, 16 racks/carton
	TTF-1000C-RS	1000	✓		✓	96 pcs/rack, 16 racks/carton
	TTF-1000C-RSL	1000	✓	✓	✓	96 pcs/rack, 16 racks/carton

Compatible with Tecan LiHa, For Genesis Freedom, Freedom Evo / ALLSHENG, Auto-Pure 4800 automated pipetting workstation.

Compatible List For Tecan Conductive Tips



Conductive, SBS Rack Box





TECAN.

ALLSHENG

Package: 96 pcs/rack
Volume: 20uL , 50uL , 200uL , 1000uL , 5000uL
Material: Medical grade polypropylene
Temperature range: -80°C-121°C


Tecan Tips (conductive)	Model	Volume(μL)	Sterile	Low-Retention	Filtering	Packing
	TT-20C-H	20				96 pcs/rack, 24 racks/carton
	TT-20C-HL	20		✓		96 pcs/rack, 24 racks/carton
	TT-20C-HS	20	✓			96 pcs/rack, 24 racks/carton
	TT-20C-HSL	20	✓	✓		96 pcs/rack, 24 racks/carton
	TTF-20C-HS	20	✓		✓	96 pcs/rack, 24 racks/carton
	TTF-20C-HSL	20	✓	✓	✓	96 pcs/rack, 24 racks/carton
	TT-50C-H	50				96 pcs/rack, 24 racks/carton
	TT-50C-HL	50		✓		96 pcs/rack, 24 racks/carton
	TT-50C-HS	50	✓			96 pcs/rack, 24 racks/carton
	TT-50C-HSL	50	✓	✓		96 pcs/rack, 24 racks/carton
	TTF-50C-HS	50	✓		✓	96 pcs/rack, 24 racks/carton
	TTF-50C-HSL	50	✓	✓	✓	96 pcs/rack, 24 racks/carton

Compatible with Tecan LiHa, For Genesis Freedom, Freedom Evo / ALLSHENG, Auto-Pure 4800 automated pipetting workstation.

Tecan Tips (conductive)	Model	Volume(μL)	Sterile	Low-Retention	Filtering	Packing
	TT-200C-H	200				96 pcs/rack, 24 racks/carton
	TT-200C-HL	200		✓		96 pcs/rack, 24 racks/carton
	TT-200C-HS	200	✓			96 pcs/rack, 24 racks/carton
	TT-200C-HSL	200	✓	✓		96 pcs/rack, 24 racks/carton
	TTF-200C-HS	200	✓		✓	96 pcs/rack, 24 racks/carton
	TTF-200C-HSL	200	✓	✓	✓	96 pcs/rack, 24 racks/carton
	TT-1000C-H	1000				96 pcs/rack, 16 racks/carton
	TT-1000C-HL	1000		✓		96 pcs/rack, 16 racks/carton
	TT-1000C-HS	1000	✓			96 pcs/rack, 16 racks/carton
	TT-1000C-HSL	1000	✓	✓		96 pcs/rack, 16 racks/carton
	TTF-1000C-HS	1000	✓		✓	96 pcs/rack, 16 racks/carton
	TTF-1000C-HSL	1000	✓	✓	✓	96 pcs/rack, 16 racks/carton

- 1 Tecan Tips (20uL)
Type: sterilized,low retention,Filtering
- 2 Tecan Tips (50uL)
Type: sterilized,low retention,Filtering
- 3 Tecan Tips (200uL)
Type: sterilized,low retention,Filtering
- 4 Tecan Tips (1000uL)
Type: sterilized,low retention,Filtering
- 5 Tecan Tips (5000uL)
Type: sterilized,low retention,Filtering



Tecan Tips (conductive)	Model	Volume(μL)	Sterile	Low-Retention	Filtering	Packing
	TT-5000C-H	5000				96 pcs/rack, 16 racks/carton
	TT-5000C-HL	5000		✓		96 pcs/rack, 16 racks/carton
	TT-5000C-HS	5000	✓			96 pcs/rack, 16 racks/carton
	TT-5000C-HSL	5000	✓	✓		96 pcs/rack, 16 racks/carton
	TTF-5000C-HS	5000	✓		✓	96 pcs/rack, 16 racks/carton
	TTF-5000C-HSL	5000	✓	✓	✓	96 pcs/rack, 16 racks/carton

Compatible with Tecan LiHa, For Genesis Freedom, Freedom Evo / ALLSHENG, Auto-Pure 4800 automated pipetting workstation.

Compatibility List For Hamilton Conductive Tips



HAMILTON




Package: 96 pcs/rack
Volume: 50uL , 300uL , 1000uL
Material: Medical grade polypropylene
Temperature range: -80°C-121°C


Hamilton Tips (conductive)	Model	Volume(μL)	Sterile	Low-Retention	Filtering	Packing
	HT-50C-RS	50	✓			96 pcs/rack, 36 racks/carton
	HT-50C-RSL	50	✓	✓		96 pcs/rack, 36 racks/carton
	HTF-50C-RS	50	✓		✓	96 pcs/rack, 36 racks/carton
	HTF-50C-RSL	50	✓	✓	✓	96 pcs/rack, 36 racks/carton
	HT-300C-RS	300	✓			96 pcs/rack, 36 racks/carton
	HT-300C-RSL	300	✓	✓		96 pcs/rack, 36 racks/carton
	HTF-300C-RS	300	✓		✓	96 pcs/rack, 36 racks/carton
	HTF-300C-RSL	300	✓	✓	✓	96 pcs/rack, 36 racks/carton
	HT-1000C-RS	1000	✓			96 pcs/rack, 24 racks/carton
	HT-1000C-RSL	1000	✓	✓		96 pcs/rack, 24 racks/carton
	HTF-1000C-RS	1000	✓		✓	96 pcs/rack, 24 racks/carton
	HTF-1000C-RSL	1000	✓	✓	✓	96 pcs/rack, 24 racks/carton

Compatible with the liquid handling workstation of Hamilton Star, Starlet and N imbus.

Compatibility List For Opentrons Tips



opentrons



Package: 96 pcs/rack
Volume: 20uL , 200uL , 1000uL
Material: Medical grade polypropylene
Temperature range: -80°C-121°C

Opentrons Pipette Tips	Model	Volume(μL)	Sterile	Low-Retention	Filtering	Packing
	OPT-20-RS	20	✓			96 pcs/rack, 10 racks /box, 5 boxes/carton
	OPT-20-RSL	20	✓	✓		96 pcs/rack, 10 racks /box, 5 boxes/carton
	OPTF-20-RS	20	✓		✓	96 pcs/rack, 10 racks /box, 5 boxes/carton
	OPTF-20-RSL	20	✓	✓	✓	96 pcs/rack, 10 racks /box, 5 boxes/carton
	OPT-20-ES	20	✓			96 pcs /layer, 10 layers/box (reloading package)
	OPT-20-ESL	20	✓	✓		96 pcs /layer, 10 layers/box (reloading package)
	OPT-200-RS	200	✓			96 pcs/rack, 10 racks /box, 5 boxes/carton
	OPT-200-RSL	200	✓	✓		96 pcs/rack, 10 racks /box, 5 boxes/carton
	OPTF-200-RS	200	✓		✓	96 pcs/rack, 10 racks /box, 5 boxes/carton
	OPTF-200-RSL	200	✓	✓	✓	96 pcs/rack, 10 racks /box, 5 boxes/carton
	OPT-200-ES	200	✓			96 pcs /layer, 10 layers/box (reloading package)
	OPT-200-ESL	200	✓	✓		96 pcs /layer, 10 layers/box (reloading package)
	OPT-1000-RS	1000	✓			96 pcs/rack, 10 racks /box, 5 boxes/carton
	OPT-1000-RSL	1000	✓	✓		96 pcs/rack, 10 racks /box, 5 boxes/carton
	OPTF-1000-RS	1000	✓		✓	96 pcs/rack, 10 racks /box, 5 boxes/carton
	OPTF-1000-RSL	1000	✓	✓	✓	96 pcs/rack, 10 racks /box, 5 boxes/carton
	OPT-1000-ES	1000	✓			96 pcs /layer, 10 layers/box (reloading package)
	OPT-1000-ESL	1000	✓	✓		96 pcs /layer, 10 layers/box (reloading package)

Compatible with the liquid handling workstation of Opentrons, OT-2 Robot.

Universal Pipette Tips

Product Features

Universal Pipette Tips



SBS International Standard

All products conform to SBS international standard, are compatible with most of pipette workstations.



Imported Virgin Material

Imported medical grade polypropylene (PP).



High Temperature Sterilization

Autoclavable at 121°C/15psi.



Low Retention

Smooth tips, no bending, low adsorption, low residue.



Non - Pyrogenic

Non - pyrogen, DNase/RNase Free.



Chemical Resistance

Resistant to chemical reagent during use and storage.



Low Heavy Metal Content

High quality and low heavy metal content.



Traceable

All product package is coded for traceability.




The Applications Of Universal Pipette Tips

- > **DNA Extraction**
DNA extraction (e.g. PCR).
- > **RNA Applications**
RNA applications (e.g. gene analysis).
- > **Protein Applications**
Protein applications (e.g. antibody studies).
- > **Cell Culture Applications**
Cell culture applications (e.g. media).
- > **Aerosol Bonding Liquid**
All applications using aerosol-bonded liquids.





Extended Pipette Tips



It can reliably contact the sample, and can draw samples from conical tubes, high reagent bottles, deep housing containers, cell culture fluids or deep well plates, avoiding the lower end of the pipette touching the inner wall of the sample container, which not only increases the safety of the experimenter Protection, and reduce the probability of sample cross-contamination.

Pipette Tips With Filter



The filter element prevents accidental spillage of liquid inside the pipette and prevents the penetration of aerosols into the pipette. Ideal for genetic studies, PCR and radioisotope sampling.


Pipette Tip Package

Individually Rack	Stacked Box Packaging	Bagged Packing
Easy to use	Save space and reduce plastic waste by 60%	Save space and reduce plastic waste by 85%
96 pcs/rack	96 pcs/layer	1000 pcs/bag

Variety of sizes, types and packaging are available to meet needed.





■ 10 μL / 10 μL Extra Long Tips ■ 200 μL / 300 μL / 300 μL Extra Long Tips ■ 1000 μL / 1250 μL Tips



Universal Pipette Tips (Non-Filtered)



10µL Tips	Model	Volume(µL)	Sterile	Low-Retention	Filtrating	Packing
φ5.8mm φ0.85mm 32mm Tip Marks: 3µL, 10µL	T-10-B	0.5-10				1000 pcs/pack, 20 packs/carton
	T-10-BL	0.5-10		✓		1000 pcs/pack, 20 packs/carton
	T-10-R	0.5-10				96 pcs/rack,10 racks /box, 5 boxes/carton
	T-10-RL	0.5-10		✓		96 pcs/rack,10 racks /box, 5 boxes/carton
	T-10-RS	0.5-10	✓			96 pcs/rack,10 racks /box, 5 boxes/carton
	T-10-RSL	0.5-10	✓	✓		96 pcs/rack,10 racks /box, 5 boxes/carton
	T-10-E	0.5-10				96 pcs/rack,10 racks /box, 10 boxes/carton
	T-10-EL	0.5-10		✓		96 pcs/rack,10 racks /box, 10 boxes/carton
10µL Extra Long Tips	Model	Volume(µL)	Sterile	Low-Retention	Filtrating	Packing
φ6.2mm φ0.81mm 45.9mm Tip Marks: 2µL, 10µL	T-11-B	0.5-10				1000 pcs/pack, 20 packs/carton
	T-11-BL	0.5-10		✓		1000 pcs/pack, 20 packs/carton
	T-11-R	0.5-10				96 pcs/rack,10 racks /box, 5 boxes/carton
	T-11-RL	0.5-10		✓		96 pcs/rack,10 racks /box, 5 boxes/carton
	T-11-RS	0.5-10	✓			96 pcs/rack,10 racks /box, 5 boxes/carton
	T-11-RSL	0.5-10	✓	✓		96 pcs/rack,10 racks /box, 5 boxes/carton
10µL Extra Long Tips	Model	Volume(µL)	Sterile	Low-Retention	Filtrating	Packing
φ5.9mm φ1mm 45.7mm Tip Marks: 2.5µL, 10µL	T-12-B	0.5-10				1000 pcs/pack, 20 packs/carton
	T-12-BL	0.5-10		✓		1000 pcs/pack, 20 packs/carton
	T-12-R	0.5-10				96 pcs/rack,10 racks /box, 5 boxes/carton
	T-12-RL	0.5-10		✓		96 pcs/rack,10 racks /box, 5 boxes/carton
	T-12-RS	0.5-10	✓			96 pcs/rack,10 racks /box, 5 boxes/carton
	T-12-RSL	0.5-10	✓	✓		96 pcs/rack,10 racks /box, 5 boxes/carton
200µL Tips (Yellow)	Model	Volume(µL)	Sterile	Low-Retention	Filtrating	Packing
φ7.4mm φ0.83mm 50.5mm	T-200Y-B	10-200				1000 pcs/pack, 20 packs/carton
	T-200Y-BL	10-200		✓		1000 pcs/pack, 20 packs/carton
	T-200Y-R	10-200				96 pcs/rack,10 racks /box, 5 boxes/carton
	T-200Y-RL	10-200		✓		96 pcs/rack,10 racks /box, 5 boxes/carton
	T-200Y-RS	10-200	✓			96 pcs/rack,10 racks /box, 5 boxes/carton
	T-200Y-RSL	10-200	✓	✓		96 pcs/rack,10 racks /box, 5 boxes/carton
	T-200Y-E	10-200				96 pcs/rack,10 racks /box, 10 boxes/carton
	T-200Y-EL	10-200		✓		96 pcs/rack,10 racks /box, 10 boxes/carton



Compatible with a variety of pipettors, suitable for pipetting micro reagent from deep vessels.

300μL Tips	Model	Volume(μL)	Sterile	Low-Retention	Filtering	Packing
 φ7.15mm φ0.84mm 59.5mm Tip Marks: 10μL, 50μL, 100μL	T-300-B	10-300				1000 pcs/pack, 20 packs/carton
	T-300-BL	10-300		✓		1000 pcs/pack, 20 packs/carton
	T-300-R	10-300				96 pcs/rack,10 racks /box, 5 boxes/carton
	T-300-RL	10-300		✓		96 pcs/rack,10 racks /box, 5 boxes/carton
	T-300-RS	10-300	✓			96 pcs/rack,10 racks /box, 5 boxes/carton
	T-300-RSL	10-300	✓	✓		96 pcs/rack,10 racks /box, 5 boxes/carton
	T-300-E	10-300				96 pcs/rack,10 racks/box, 10 boxes/carton
	T-300-EL	10-300		✓		96 pcs/rack,10 racks/box, 10 boxes/carton
300μL Extra Long Tips	Model	Volume(μL)	Sterile	Low-Retention	Filtering	Packing
 φ7.45mm φ1mm 89mm Tip Marks: 20μL, 50μL, 100μL, 200μL	T-301-B	10-300				1000 pcs/pack, 5 packs/carton
	T-301-BL	10-300		✓		1000 pcs/pack, 5 packs/carton
	T-301-R	10-300				96 pcs/rack,10 racks /box, 5 boxes/carton
	T-301-RL	10-300		✓		96 pcs/rack,10 racks /box, 5 boxes/carton
	T-301-RS	10-300	✓			96 pcs/rack,10 racks /box, 5 boxes/carton
	T-301-RSL	10-300	✓	✓		96 pcs/rack,10 racks /box, 5 boxes/carton
	T-301-E	10-300				96 pcs/rack, 5 racks/box, 10 boxes/carton
	T-301-EL	10-300		✓		96 pcs/rack, 5 racks/box, 10 boxes/carton
300μL Extra Long Tips	Model	Volume(μL)	Sterile	Low-Retention	Filtering	Packing
 φ7.16mm φ1mm 99.5mm Tip Marks: 30μL, 100μL, 200μL, 300μL	T-302-B	10-300				1000 pcs/pack, 5 packs/carton
	T-302-BL	10-300		✓		1000 pcs/pack, 5 packs/carton
	T-302-R	10-300				96 pcs/rack,10 racks /box, 5 boxes/carton
	T-302-RL	10-300		✓		96 pcs/rack,10 racks /box, 5 boxes/carton
	T-302-RS	10-300	✓			96 pcs/rack,10 racks /box, 5 boxes/carton
	T-302-RSL	10-300	✓	✓		96 pcs/rack,10 racks /box, 5 boxes/carton
1000μL Tips (Blue)	Model	Volume(μL)	Sterile	Low-Retention	Filtering	Packing
 φ8.85mm φ1.36mm 87.7mm Tip Marks: 200μL, 500μL	T-1000B-B	100-1000				1000 pcs/pack, 5 packs/carton
	T-1000B-BL	100-1000		✓		1000 pcs/pack, 5 packs/carton
	T-1000B-R	100-1000				96 pcs/rack,10 racks /box, 5 boxes/carton
	T-1000B-RL	100-1000		✓		96 pcs/rack,10 racks /box, 5 boxes/carton
	T-1000B-RS	100-1000	✓			96 pcs/rack,10 racks /box, 5 boxes/carton
	T-1000B-RSL	100-1000	✓	✓		96 pcs/rack,10 racks /box, 5 boxes/carton
	T-1000B-E	100-1000				96 pcs/rack, 5 racks/box, 10 boxes/carton
	T-1000B-EL	100-1000		✓		96 pcs/rack, 5 racks/box, 10 boxes/carton

1250μL Tips	Model	Volume(μL)	Sterile	Low-Retention	Filtering	Packing
 φ9mm φ1.38mm 101.9mm Tip Marks: 200μL, 500μL, 1000μL	T-1250-B	100-1250				1000 pcs/pack, 5 packs/carton
	T-1250-BL	100-1250		✓		1000 pcs/pack, 5 packs/carton
	T-1250-R	100-1250				96 pcs/rack,10 racks /box, 5 boxes/carton
	T-1250-RL	100-1250		✓		96 pcs/rack,10 racks /box, 5 boxes/carton
	T-1250-RS	100-1250	✓			96 pcs/rack,10 racks /box, 5 boxes/carton
	T-1250-RSL	100-1250	✓	✓		96 pcs/rack,10 racks /box, 5 boxes/carton
	T-1250-E	100-1250				96 pcs/rack, 5 racks/box, 10 boxes/carton
	T-1250-EL	100-1250		✓		96 pcs/rack, 5 racks/box, 10 boxes/carton
1500μL Tips	Model	Volume(μL)	Sterile	Low-Retention	Filtering	Packing
 φ8.9mm φ1.38mm 130mm Tip Marks: 500μL, 1000μL, 1500μL	T-1500-B	100-1500				1000 pcs/pack, 5 packs/carton
	T-1500-BL	100-1500		✓		1000 pcs/pack, 5 packs/carton
	T-1500-R	100-1500				96 pcs/rack, 5 racks/box, 10 boxes/carton
	T-1500-RL	100-1500		✓		96 pcs/rack, 5 racks/box, 10 boxes/carton
	T-1500-RS	100-1500	✓			96 pcs/rack, 5 racks/box, 10 boxes/carton
	T-1500-RSL	100-1500	✓	✓		96 pcs/rack, 5 racks/box, 10 boxes/carton

Compatible with a variety of pipettors, suitable for pipetting micro reagent from deep vessels.






Integra Pipette Tips

Integra Tips	Model	Volume(μL)	Sterile	Low-Retention	Filtering	Packing
 φ4.28mm φ0.62mm 35.46mm	IG-384-12.5-RS	12.5	✓			384 pcs/rack, 10 racks/box, 5 boxes/carton
 φ4.3mm φ0.8mm 55.7mm	IG-384-125-RS	125	✓			384 pcs/rack, 10 racks/box, 5 boxes/carton







Compatible with Integra pipettors, suitable for pipette micro liquid from deep vessels.

Universal Pipette Tips (Filter Element)




10µL Tips	Model	Volume(µL)	Sterile	Low-Retention	Filtering	Packing
 Tip Marks: 3µL, 10µL	TF-10-B	0.5-10			✓	1000 pcs/pack, 10 packs/carton
	TF-10-BL	0.5-10		✓	✓	1000 pcs/pack, 10 packs/carton
	TF-10-RS	0.5-10	✓		✓	96 pcs/rack,10 racks /box, 5 boxes/carton
	TF-10-RSL	0.5-10	✓	✓	✓	96 pcs/rack,10 racks /box, 5 boxes/carton
10µL Extra Long Tips	Model	Volume(µL)	Sterile	Low-Retention	Filtering	Packing
 Tip Marks: 2µL, 10µL	TF-11-B	0.5-10			✓	1000 pcs/pack, 10 packs/carton
	TF-11-BL	0.5-10		✓	✓	1000 pcs/pack, 10 packs/carton
	TF-11-RS	0.5-10	✓		✓	96 pcs/rack,10 racks /box, 5 boxes/carton
	TF-11-RSL	0.5-10	✓	✓	✓	96 pcs/rack,10 racks /box, 5 boxes/carton
10µL Extra Long Tips	Model	Volume(µL)	Sterile	Low-Retention	Filtering	Packing
 Tip Marks: 2.5µL, 10µL	TF-12-B	0.5-10			✓	1000 pcs/pack, 10 packs/carton
	TF-12-BL	0.5-10		✓	✓	1000 pcs/pack, 10 packs/carton
	TF-12-RS	0.5-10	✓		✓	96 pcs/rack,10 racks /box, 5 boxes/carton
	TF-12-RSL	0.5-10	✓	✓	✓	96 pcs/rack,10 racks /box, 5 boxes/carton
20µL Tips (Yellow)	Model	Volume(µL)	Sterile	Low-Retention	Filtering	Packing
	TF-20Y-B	1.0-20			✓	1000 pcs/pack, 10 packs/carton
	TF-20Y-BL	1.0-20		✓	✓	1000 pcs/pack, 10 packs/carton
	TF-20Y-RS	1.0-20	✓		✓	96 pcs/rack,10 racks /box, 5 boxes/carton
	TF-20Y-RSL	1.0-20	✓	✓	✓	96 pcs/rack,10 racks /box, 5 boxes/carton
50µL Tips (Yellow)	Model	Volume(µL)	Sterile	Low-Retention	Filtering	Packing
	TF-50Y-B	5-50			✓	1000 pcs/pack, 10 packs/carton
	TF-50Y-BL	5-50		✓	✓	1000 pcs/pack, 10 packs/carton
	TF-50Y-RS	5-50	✓		✓	96 pcs/rack,10 racks /box, 5 boxes/carton
	TF-50Y-RSL	5-50	✓	✓	✓	96 pcs/rack,10 racks /box, 5 boxes/carton
100µL Tips	Model	Volume(µL)	Sterile	Low-Retention	Filtering	Packing
	TF-100-B	10-100			✓	1000 pcs/pack, 10 packs/carton
	TF-100-BL	10-100		✓	✓	1000 pcs/pack, 10 packs/carton
	TF-100-RS	10-100	✓		✓	96 pcs/rack,10 racks /box, 5 boxes/carton
	TF-100-RSL	10-100	✓	✓	✓	96 pcs/rack,10 racks /box, 5 boxes/carton

Compatible with a variety of pipettors, suitable for pipetting micro reagent from deep vessels.



200µL Tips	Model	Volume(µL)	Sterile	Low-Retention	Filtering	Packing
 Tip Marks: 10µL, 50µL, 100µL	TF-200-B	10-200			✓	1000 pcs/pack, 10 packs/carton
	TF-200-BL	10-200		✓	✓	1000 pcs/pack, 10 packs/carton
	TF-200-RS	10-200	✓		✓	96 pcs/rack,10 racks /box, 5 boxes/carton
	TF-200-RSL	10-200	✓	✓	✓	96 pcs/rack,10 racks /box, 5 boxes/carton
300µL Tips	Model	Volume(µL)	Sterile	Low-Retention	Filtering	Packing
 Tip Marks: 10µL, 50µL, 100µL	TF-300-B	10-300			✓	1000 pcs/pack, 10 packs/carton
	TF-300-BL	10-300		✓	✓	1000 pcs/pack, 10 packs/carton
	TF-300-RS	10-300	✓		✓	96 pcs/rack,10 racks /box, 5 boxes/carton
	TF-300-RSL	10-300	✓	✓	✓	96 pcs/rack,10 racks /box, 5 boxes/carton
300µL Extra Long Tips	Model	Volume(µL)	Sterile	Low-Retention	Filtering	Packing
 Tip Marks: 20µL, 50µL, 100µL, 200µL	TF-301-B	10-300			✓	1000 pcs/pack, 5 packs/carton
	TF-301-BL	10-300		✓	✓	1000 pcs/pack, 5 packs/carton
	TF-301-RS	10-300	✓		✓	96 pcs/rack,10 racks /box, 5 boxes/carton
	TF-301-RSL	10-300	✓	✓	✓	96 pcs/rack,10 racks /box, 5 boxes/carton
300µL Extra Long Tips	Model	Volume(µL)	Sterile	Low-Retention	Filtering	Packing
 Tip Marks: 30µL, 100µL, 200µL, 300µL	T-302-B	10-300				1000 pcs/pack, 5 packs/carton
	T-302-BL	10-300		✓		1000 pcs/pack, 5 packs/carton
	T-302-R	10-300				96 pcs/rack,10 racks /box, 5 boxes/carton
	T-302-RL	10-300		✓		96 pcs/rack,10 racks /box, 5 boxes/carton
	T-302-RS	10-300	✓			96 pcs/rack,10 racks /box, 5 boxes/carton
	T-302-RSL	10-300	✓	✓		96 pcs/rack,10 racks /box, 5 boxes/carton
1000µL (Blue)	Model	Volume(µL)	Sterile	Low-Retention	Filtering	Packing
 Tip Marks: 200µL, 500µL	TF-1000B-B	100-1000			✓	1000 pcs/pack, 5 packs/carton
	TF-1000B-BL	100-1000		✓	✓	1000 pcs/pack, 5 packs/carton
	TF-1000B-RS	100-1000	✓		✓	96 pcs/rack,10 racks /box, 5 boxes/carton
	TF-1000B-RSL	100-1000	✓	✓	✓	96 pcs/rack,10 racks /box, 5 boxes/carton
1250µL Tips	Model	Volume(µL)	Sterile	Low-Retention	Filtering	Packing
 Tip Marks: 200µL, 500µL, 1000µL	TF-1250-B	100-1250			✓	1000 pcs/pack, 5 packs/carton
	TF-1250-BL	100-1250		✓	✓	1000 pcs/pack, 5 packs/carton
	TF-1250-RS	100-1250	✓		✓	96 pcs/rack,10 racks /box, 5 boxes/carton
	TF-1250-RSL	100-1250	✓	✓	✓	96 pcs/rack,10 racks /box, 5 boxes/carton

Compatible with a variety of pipettors, suitable for pipetting micro reagent from deep vessels.

1500µL Tips	Model	Volume(µL)	Sterile	Low-Retention	Filtering	Packing
 Tip Marks: 500µL, 1000µL, 1500µL	TF-1500-B	100-1500				1000 pcs/pack, 5 packs/carton
	TF-1500-BL	100-1500		✓		1000 pcs/pack, 5 packs/carton
	TF1500-R	100-1500				96 pcs/rack,10 racks /box, 5 boxes/carton
	TF-1500-RL	100-1500		✓		96 pcs/rack,10 racks /box, 5 boxes/carton
	TF-1500-RS	100-1500	✓			96 pcs/rack,10 racks /box, 5 boxes/carton
	TF-1500-RSL	100-1500	✓	✓		96 pcs/rack,10 racks /box, 5 boxes/carton

Compatible with a variety of pipettors, suitable for pipetting micro reagent from deep vessels.

Gel Sampling Pipette Tips

Gel Sampling Pipette Tips	Model	Volume(µL)	Sterile	Low-Retention	Filtering	Packing
	TGL-200-R	200				96 pcs/rack,10 racks /box, 5 boxes/carton
	TGLF-160-RS	160	✓		✓	96 pcs/rack,10 racks /box, 5 boxes/carton

Compatible with a variety of pipettors, suitable for pipetting micro reagent from deep vessels.

Rainin Pipette Tips



20µL Tips




200µL Tips



300µL Tips






1000µL Tips



20µL Tips	Model	Volume(µL)	Sterile	Low-Retention	Filtering	Packing
Tip Marks: 2µL, 10µL, 20µL	LTS-20-B	0.5-20				1000 pcs/pack, 20 packs/carton
	LTS-20-BL	0.5-20		✓		1000 pcs/pack, 20 packs/carton
	LTS-20-R	0.5-20				96 pcs/rack,10 racks /box, 5 boxes/carton
	LTS-20-RL	0.5-20		✓		96 pcs/rack,10 racks /box, 5 boxes/carton
	LTS-20-RS	0.5-20	✓			96 pcs/rack,10 racks /box, 5 boxes/carton
	LTS-20-RSL	0.5-20	✓	✓		96 pcs/rack,10 racks /box, 5 boxes/carton
	LTS-20-E	0.5-20				96 pcs/rack,10 racks /box, 10 boxes/carton
	LTS-20-EL	0.5-20		✓		96 pcs/rack,10 racks /box, 10 boxes/carton
	LTSF-20-B	0.5-20			✓	1000 pcs/pack, 20 packs/carton
	LTSF-20-BL	0.5-20		✓	✓	1000 pcs/pack, 20 packs/carton
	LTSF-20-RS	0.5-20	✓		✓	96 pcs/rack,10 racks /box, 5 boxes/carton
	LTSF-20-RSL	0.5-20	✓	✓	✓	96 pcs/rack,10 racks /box, 5 boxes/carton
200µL Tips	Model	Volume(µL)	Sterile	Low-Retention	Filtering	Packing
Tip Marks: 10µL, 50µL, 100µL, 200µL	LTS-200-B	10-200				1000 pcs/pack, 5 packs/carton
	LTS-200-BL	10-200		✓		1000 pcs/pack, 5 packs/carton
	LTS-200-R	10-200				96 pcs/rack,10 racks /box, 5 boxes/carton
	LTS-200-RL	10-200		✓		96 pcs/rack,10 racks /box, 5 boxes/carton
	LTS-200-RS	10-200	✓			96 pcs/rack,10 racks /box, 5 boxes/carton
	LTS-200-RSL	10-200	✓	✓		96 pcs/rack,10 racks /box, 5 boxes/carton
	LTS-200-E	10-200				96 pcs /layer, 10 layers/box, 10 boxes/carton
	LTS-200-EL	10-200		✓		96 pcs /layer, 10 layers/box, 10 boxes/carton
	LTSF-200-B	10-200			✓	1000 pcs/pack, 10 packs/carton
	LTSF-200-BL	10-200		✓	✓	1000 pcs/pack, 10 packs/carton
	LTSF-200-RS	10-200	✓		✓	96 pcs/rack,10 racks /box, 5 boxes/carton
	LTSF-200-RSL	10-200	✓	✓	✓	96 pcs/rack,10 racks /box, 5 boxes/carton

Compatible with Rainin, For LiteTouch System, XLS pipette.

30μL Tips	Model	Volume(μL)	Sterile	Low-Retention	Filtering	Packing
	LTS-300-B	10-300				1000 pcs/pack, 5 packs/carton
	LTS-300-BL	10-300		✓		1000 pcs/pack, 5 packs/carton
	LTS-300-R	10-300				96 pcs/rack,10 racks /box, 5 boxes/carton
	LTS-300-RL	10-300		✓		96 pcs/rack,10 racks /box, 5 boxes/carton
	LTS-300-RS	10-300	✓			96 pcs/rack,10 racks /box, 5 boxes/carton
	LTS-300-RSL	10-300	✓	✓		96 pcs/rack,10 racks /box, 5 boxes/carton
	LTS-300-E	10-300				96 pcs /layer, 8 layers/box, 10 boxes/carton
	LTS-300-EL	10-300		✓		96 pcs /layer, 8 layers/box, 10 boxes/carton
	LTSF-300-B	10-300			✓	1000 pcs/pack, 5 packs/carton
	LTSF-300-BL	10-300		✓	✓	1000 pcs/pack, 5 packs/carton
	LTSF-300-RS	10-300	✓		✓	96 pcs/rack,10 racks /box, 5 boxes/carton
	LTSF-300-RSL	10-300	✓	✓	✓	96 pcs/rack,10 racks /box, 5 boxes/carton
	LTS-1000-B	100-1000				1000 pcs/pack, 5 packs/carton
	LTS-1000-BL	100-1000		✓		1000 pcs/pack, 5 packs/carton
	LTS-1000-R	100-1000				96 pcs/rack,10 racks /box, 5 boxes/carton
	LTS-1000-RL	100-1000		✓		96 pcs/rack,10 racks /box, 5 boxes/carton
	LTS-1000-RS	100-1000	✓			96 pcs/rack,10 racks /box, 5 boxes/carton
	LTS-1000-RSL	100-1000	✓	✓		96 pcs/rack,10 racks /box, 5 boxes/carton
	LTS-1000-E	100-1000				96 pcs /layer, 8 layers/box, 10 boxes/carton
	LTS-1000-EL	100-1000		✓		96 pcs /layer, 8 layers/box, 10 boxes/carton
	LTSF-1000-B	100-1000			✓	1000 pcs/pack, 5 packs/carton
	LTSF-1000-BL	100-1000		✓	✓	1000 pcs/pack, 5 packs/carton
	LTSF-1000-RS	100-1000	✓		✓	96 pcs/rack,10 racks /box, 5 boxes/carton
	LTSF-1000-RSL	100-1000	✓	✓	✓	96 pcs/rack,10 racks /box, 5 boxes/carton

Compatible with Rainin, For LiteTouch System, XLS pipette.

Pipette Tip Package




Rainin Rack Package

- ✓ **One-Handed Performance**
To improve the working efficiency.
- ✓ **Translucent Lid**
Different color for different volume, easy to recognize.
- ✓ **Individual Rack Package**
individual package to prevent pollution.

Rainin Reloading Package

- ✓ **To Save Space**
There are 8 or 10 layers tips in every package , and it can be reloaded.
- ✓ **Easy To Operate**
It can reload the individual rack in some seconds by the reloading package.
- ✓ **Environmental Friendly**
The package way can save 60% plastic usage.



Individually Rack
Easy to use
96 pcs/rack



Stacked Box Packaging
Save space and reduce plastic waste by 60%
96 pcs/layer



Bagged Packing
Save space and reduce plastic waste by 85%
1000 pcs/bag

Variety of sizes, types and packaging are available to meet needed.

■ 20 μL ■ 200 μL ■ 300 μL ■ 1000 μL

A close-up, vertical shot of a laboratory pipette tip dispensing a blue liquid into a multi-well plate. The pipette tip is positioned directly above one of the wells, and a small droplet of blue liquid is visible at the tip. The multi-well plate is white and has several other wells visible. The background is a plain, light gray. The text "Tips Adaptation F" is overlaid in white at the top of the image.

Multi-Channel
Suit for multi-channel pipette.

Improve Experiment

Improve the reliability of experimental results.

eppendorf

ThermoFisher
SCIENTIFIC



sartorius stedim
biotech

4 GILSON®



DLAB

[illegible]

r=recommend

[illegible]

$\sqrt{r}$ r =recommend

What was the biggest challenge in pipetting?

Combined with our application and technical improvement, Nova Pipette tips Can perfectly fit the above brand pipettor.

The average CV of tip is lower than 3.5% which can make your pipetting process more accurate, with more reliable experimental results.

CV < 3.5%



Accurate and consistent fluid displacement

No matter you use a single-channel pipettor or a multi-channel pipettor, Nova Tips ensures that each channel is completely sealed to achieve accurate and consistent fluid transfer.


Save your valuable time .

Reduce the risk of loose and leakage

Once equipped with Nova Tips, even the most complex pipetting operations, such as multiple successive pipetting and sample mixing applications, it will completely sealed and will never come loose.

Reliability of the experimental

Nova Scientifix tips ensures consistency and repeatability of results between operators.



Deep Well Plate

Product Features

Deep Well Plate



SBS International Standard

All products conform to SBS international standard, are compatible with most of pipette workstations.



Imported Virgin Material

Imported medical grade polypropylene (PP).



High Temperature Sterilization

Autoclavable at 121°C/15psi.



Non - Pyrogenic

Non - pyrogen, DNase/RNase Free.



Chemical Resistance

Resistant to chemical reagent during use and storage.



Centrifugal Force

Max centrifugal force 4000g, no damage, no deformation.



Planeness

Smooth surface and uniform spacing between wells.



Low Heavy Metal Content

High quality and low heavy metal content.



Traceable

All product package is coded for traceability.



The Applications Of Deep Well Plate

> Storage Samples


It is application to store samples, perfectly replace the 1.5ml centrifuge tube, with large storage capacity, saving more space, working well in -80 °C.

> Sample treatment

It achieves high-throughput operation of biological samples with pipette and high-throughput automatic liquid operation instruments and software.

> Operation

It is applicable to all kinds of automatic equipment, can be directly put in the sample bin and make operation more efficiency.



Bottom Shape Of Deep Well Plate




U Bottom
Better mixing of samples.




Tapered Bottom / V Bottom
Better the sample recovery and less liquid residue.
Increased heating wrap area to make heating more efficient.




V Bottom
Almost no Invalid volume in the tube during liquid treatment.



U Bottom



Tapered Bottom



V Bottom



U Bottom



V Bottom




Flat Bottom



V-Tapered Bottom


Special Hole Design




> **Fillet Design**
Syphon can be avoided.

> **Thin Wall Design**
It can provide uniform heat transfer, ensure high-efficiency PCR reaction.


Shared Walls vs. Independent Walls :







> **Shared Wells**
Increase the pore capacity, more the storage Volume and better the mixing effect.



> **Independent Well**
Reduce probability of cross contamination between samples.




PCR Plate

			
PCR-0208	PCR-96-HN-C	PCR-96-HS-C	PCR-96R-HS-C
PCR Tube Strips	96 PCR Plate (No Profile)	96 PCR Plate (Half Profile)	96 PCR Plate (Half Profile, Removable)
8 Holes (0.2 mL)	96 Holes (0.2 mL)	96 Holes (0.2 mL)	96 Holes (0.2 mL)
			
71X8X20.6 mm	119.8X79.7X21 mm	126.3X86X21.1 mm	127.76X85.48X20.7 mm
125 pcs/bag, 10 bags/carton	10 pcs/bag, 5 bags/carton	10 pcs/bag, 5 bags/carton	10 pcs/bag, 5 bags/carton

A full range of PCR plates, printing services can be provided.








PCR Cover (Sealing film/Silicone Mat) :







	
F-101	M-PCR-RD-96
Adaptation, full series of PCR plates	Adaptation, full series of PCR plates
Features: PCR fluorescence quantification	Features: Round hole, pierceable
130X80 mm	113.5X77.5 mm
125 pcs/bag, 10 bags/carton	10 pcs/bag, 5 bags/carton

DEEP WELL PLATE









Round Well Plate




			
P-0,36-96V	P-0,4-96F	P-0,4-96U	P-0,45-RDV-96
V Bottom	Flat Bottom	U Bottom	V Bottom
96 Holes	96 Holes	96 Holes	96 Holes
0,36 mL	0,4 mL	0,4 mL	0,45 mL
			
127,8X85,5X14,8 mm	127,8X85,5X14,8 mm	127,8X85,5X14,8 mm	127,15X85,2X14,5 mm
10 pcs/bag, 100 pcs/carton	10 pcs/bag, 100 pcs/carton	10 pcs/bag, 100 pcs/carton	10 pcs/bag, 100 pcs/carton

			
P-0,5-RD-96	P-1,0-RD-96	P-1,0-RDV-96	P-1,1-RD-96
U Bottom	U Bottom, Independent Well	V Bottom	U Bottom, Shared Well
96 Holes	96 Holes	96 Holes	96 Holes
0,5 mL	1,0 mL	1,0 mL	1,1 mL
			
127,15X85,2X14,5 mm	127,8X85,5X33 mm	127,8X85,5X33 mm	127,5X85,35X27 mm
10 pcs/bag, 100 pcs/carton	5 pcs/bag, 50 pcs/carton	5 pcs/bag, 50 pcs/carton	5 pcs/bag, 50 pcs/carton






DEEP WELL PLATE






Round Well Plate

			
P-1.1-RDV-96	P-2.0-RDA-96	P-2.0-RDV-96	P-3.5-RD-48
V Bottom, Shared Well	U Bottom	V Bottom	U Bottom, Irregular Arrangement
96 Holes	96 Holes	96 Holes	48 Holes
1.1 mL	2.0 mL	2.0 mL	3.5 mL
			
127.5X85.35X27 mm	127.5X85.35X44.3 mm	127.5X85.35X44.3 mm	127.8X85.5X43.6 mm
5 pcs/bag, 50 pcs/carton	5 pcs/bag, 50 pcs/carton	5 pcs/bag, 50 pcs/carton	5 pcs/bag, 50 pcs/carton

	
P-3.5-RDA-48	P-C
U Bottom, Regular Arrangement	Transparent Plate Cover
48 Holes	/
3.5 mL	Adaptation, full series of PCR plates
	/
127.5X85.2X51.1 mm	129.2X86X9.3 mm
5 pcs/bag, 50 pcs/carton	20 pcs/bag, 200 pcs/carton





Square Well Plate






			
P-0.5-SQV-96	P-1.0-SQ-96	P-1.0-SQV-96	P-1.6-SQ-96
Tapered Bottom	U Bottom	Tapered Bottom	U Bottom
96 Holes	96 Holes	96 Holes	96 Holes
0.5 mL	1.0 mL	1.0 mL	1.6 mL
			
127.5X85.4X15.1 mm	127.8X85.5X24.4 mm	127.4X85.5X24.4 mm	127.5X85.4X31.6 mm
10 pcs/bag, 100 pcs/carton	10 pcs/bag, 100 pcs/carton	10 pcs/bag, 100 pcs/carton	5 pcs/bag, 50 pcs/carton

			
P-1.6-SQV-96	P-2.2-SQ-96	P-2.2-SQG-96	P-2.2-SQV-96
V Bottom	U Bottom	U Bottom, Profile Concave	Tapered Bottom, Frosted Shell
96 Holes	96 Holes	96 Holes	96 Holes
1.6 mL	2.2 mL	2.2 mL	2.2 mL
			
127.5X85.4X31.6 mm	127.5X85.4X41.6 mm	127X85X42.5 mm	127.4X85.5X44.2 mm
5 pcs/bag, 50 pcs/carton	5 pcs/bag, 50 pcs/carton	5 pcs/bag, 50 pcs/carton	5 pcs/bag, 50 pcs/carton


DEEP WELL PLATE

Square Well Plate





			
P-2.2-SQVT-96	P-2.3-SQV-96	P-2.3-SQC-96	P-10-SQV-24
Tapered Bottom, Transparent Shell	V Bottom	Diamond Cone Bottom	Tapered Bottom
96 Holes	96 Holes	96 Holes	24 Holes
2.2 mL	2.3 mL	2.3 mL	10 mL
			
127.4X85.5X44.2 mm	127.5X85.4X41.7 mm	127.3X85.2X44.3 mm	127.5X85.5X44 mm
5 pcs/bag, 50 pcs/carton	5 pcs/bag, 50 pcs/carton	5 pcs/bag, 50 pcs/carton	5 pcs/bag, 50 pcs/carton

			
P-15-SQV-24	P-4.6-SQ-48	P-120-SQ-384	P-240-SQ-384
Tapered Bottom	U Bottom	V Bottom	V Bottom
24 Holes	48 Holes	384 Holes	384 Holes
15 mL	4.6 mL	120 µL	240 µL
			
127.2X85.3X63.2 mm	127.8X85.5X41.6 mm	127.5X85.35X14.6 mm	127.5X83.35X24.9 mm
5 pcs/bag, 50 pcs/carton	5 pcs/bag, 50 pcs/carton	10 pcs/white box, 100 pcs/carton	10 pcs/white box, 50 pcs/carton





Silicone Mat For Well Plate





DEEP WELL PLATE

			
M-RD-96-U	M-2mL-RD	M-2mL-RD-C	M-RD-3.5mL
Adaptation 1.0 mL round well plate	Adaptation 2.0 mL round well plate	Adaptation 2.0 mL round well plate	Adaptation 3.5 mL round well plate
Features Round hole, can be pierced	Features Round hole, can be pierced	Features Cross cut, pierceable	Features Round hole, pierceable
10 pcs/bag, 5 bags/carton	10 pcs/bag, 5 bags/carton	10 pcs/bag, 5 bags/carton	10 pcs/bag, 5 bags/carton

Silicone Mat

			
M-SQ-96	M-SQ-96-P	M-SQ-96-C	M-SQ-24
Adaptation 96 square well plate	Adaptation 96 square well plate	Adaptation 96 square well plate	Adaptation 24 square well plate
Features Square hole	Features Square hole, pierceable	Features Square hole, cross cut	Features Square hole
10 pcs/bag, 5 bags/carton	10 pcs/bag, 5 bags/carton	10 pcs/bag, 5 bags/carton	10 pcs/bag, 5 bags/carton

	
M-SQ-48	M-SQ-384
Adaptation 48 square well plate	Adaptation 384 square well plate
Features Square hole	Features Square hole
10 pcs/bag, 50 pcs/carton	10 pcs/bag, 50 pcs/carton





Sealing Film








Model	Dimensions(mm)	Description	Packing
F-001	144x87	Adhesive sealing film, Suit for Deep well plates and PCR	500 pcs/bag, 20 bags/case
F-002	125x82	Embossed, Suit for deep Well plate, PCR	600 pcs/bag, 12 bags/case
F-004	127x78	Imported, Pierceable, Glossy, For deep Well plate, PCR	100 pcs/bag, 5 bags/case
F-005	125x83	Glossy, Thick, Golden, For deep Well plate, PCR	600 pcs/bag, 16 bags/case
F-007	124x78	Glossy, Thick, Golden, For deep Well plate, PCR	100 pcs/bag, 5 bags/case
F-009	124x78	Imported, Glossy, Thick, For deep Well plate, PCR	100 pcs/bag, 5 bags/case
F-012	125x83	Glossy, Thick, For deep Well plate, PCR	100 pcs/bag, 5 bags/case
F-101	141x77	Fluorescent quantitation sealing film	100 pcs/bag, 5 bags/case
F-103	140x80	Piercable, PCR-Sensitive Membrane	100 pcs/bag, 5 bags/case
F-104	100x55 (48) 100x25 (24)	PCR-Sensitive Membrane For 24 Well/48 Well plate	100 pcs/bag, 5 bags/case
F-105	140x83 (Back Paper) 137x80 (Top Paper)	High transmittance adhesive sealing film	100 pcs/bag, 5 bags/case
F-106	140x83 (Back Paper) 133x80 (Top Paper)	High transmittance adhesive sealing film	100 pcs/bag, 5 bags/case
F-107	140x83 (Back Paper) 137x80 (Top Paper)	Resistant to 150°C high transmittance sealing film	100 pcs/bag, 5 bags/case
F-108	128x90 (Full Plate) 90x9. 2 (Single Strip)	detachable sealing film for ELISA Plate	100 pcs/bag, 5 bags/case
F-109	140x83 (Back Paper) 137x80 (Top Paper)	High transmittance sealing film for culture plate	100 pcs/bag, 5 bags/case
F-110	140x83 (Back Paper) 137x80 (Top Paper)	High transmittance sealing film for culture plate	100 pcs/bag, 5 bags/case
F-111	140x83 (Back Paper) 137x80 (Top Paper)	High transmittance sealing film for culture plate	100 pcs/bag, 5 bags/case




DEEP WELL PLATE

Tip Comb And Pc-Cover

			
P-MT-8U	J-MT-8V	D-MT-8U	SS-MT-8U
U Bottom	V Bottom, Snap	U Bottom, Snap	U Bottom, Snap
8 Holes	8 Holes	8 Holes	8 Holes
Adaptation 2.2 mL square well plate	Adaptation 2.2 mL square well plate	Adaptation 2.2 mL square well plate	Adaptation 2.2 mL square well plate
			
11.45X44.7 mm	12X45.5 mm	12X46.1 mm	11.8X45.8 mm
200 sets/carton	200 sets/carton	200 sets/carton	200 sets/carton

			
P-MT-24	P-MT-24L	P-MT-96V	P-C
V Bottom	V Bottom	V Bottom	Transparent Plate Cover
24 Holes	24 Holes	96 Holes	/
Adaptation 10 mL square well plate	Adaptation 15 mL square well plate	Adaptation 2.2 mL square well plate	Adaptation full range of well plates
			/
126.5X84.9X44.2 mm	127.4X85.3X62.2 mm	127.3X85.3X42.3 mm	129.2X86X9.3 mm
50 sets/carton	50 sets/carton	50 sets/carton	20 pcs/bag, 200 pieces/carton

Exclusive To TANBEAD

		
	P-SQ-84R	P-MT-12U
	Square Well Pate, Detachable	Snap, PP
	84 Holes	12 Holes
	Suit for TANBEAD pipetting workstation	Suit for TANBEAD square well pate
		
	152.3X81.8X52.7 mm	12X56.2 mm
	16 pcs/bag, 30 bags/carton	15 pcs/bag, 4 bags/carton

 Taiwan
Advanced
Nanotech

Suit for TANBEAD SLA-D14800
pipetting workstation.

DEEP WELL PLATE

Reservoir

Product Features

Reservoir



SBS International Standard

All products conform to SBS international standard, are compatible with most of pipette workstations.



Imported Virgin Material

Imported medical grade polypropylene (PP).



High Temperature Sterilization

Autoclavable at 121°C/15psi.



Non - Pyrogenic

Non - pyrogen, DNase/RNase Free.



Chemical Resistance

Resistant to chemical reagent during use and storage.



Low Heavy Metal Content

High quality and low heavy metal content.



Traceable

All product package is coded for traceability.




The Application Of Reservoir



The reservoir has standard SBS size, which is suitable for Plate reactor and processing system, and can process reagents in a simple and economical way on the automatic system. The reservoir is disposable, the built-in groove at the bottom of the reservoir can reduce the waste of reagent and ensure the consistency of washing liquid.

Low Profile Design



The low profile design considers the situation that the automatic high flux instrument adopts small tips due to the small volume liquid transfer, so that the product can be applied to 10μL, 30μL, 50μL, 100μL, 125μL tips, and the residue of liquid in the automatic liquid transfer process can be minimized.


Smooth Pipetting

In the process of automatic liquid transfer, the liquid cannot be taken evenly due to the surface tension in the flat bottom container. But reservoir with groove can overcome the tension and reduce the liquid residue.



Flat Bottom Container


It's hard to transfer liquid evenly due to the liquid tension.



Reservoir

The liquid is evenly distributed in the reservoir.









Reservoir Family









- 1 Flat Reservoir
- 2 8 Channel Reservoir
- 3 12 Channel Reservoir
- 4 96 Channel Reservoir
- 5 384 Channel Reservoir
- 6 Wave board
- 7 Reservoir Cover





The whole series of reservoirs are equipped with covers, while the flat bottom 8, 12, 96, 384 and other single channel reservoirs are equipped with wave board, which avoid the wastage of sample during operation and storage.

Reservoir



			
RES-32-8MW	RES-180-8MW	RES-22-12MW	RES-180-12MW
Multi Well, High Profile	Multi Well, Middle Profile	Multi Well, High Profile	Multi Well, Middle Profile
8 Channel	8 Channel	12 Channel	12 Channel
32 mL	22 mL	22 mL	15 mL
			
127.76X85.48X44.5 mm	127.76X85.48X31.5 mm	127.76X85.48X44.5 mm	127.76X85.48X31.5 mm
5 pcs/bag, 50 pcs/carton	5 pcs/bag, 50 pcs/carton	5 pcs/bag, 50 pcs/carton	5 pcs/bag, 50 pcs/carton

			
RES-290-8SW	RES-290-12SW	RES-290-96SW	RES-290-384SW
Single Well, High Profile	Single Well, High Profile	Single Well, High Profile	Single Well, High Profile
8 Channel	12 Channel	96 Channel	384 Channel
290 mL	290 mL	290 mL	290 mL
			
127.76X85.48X44.5 mm	127.76X85.48X44.5 mm	127.76X85.48X44.5 mm	127.76X85.48X44.5 mm
5 pcs/bag, 50 pcs/carton	5 pcs/bag, 50 pcs/carton	5 pcs/bag, 50 pcs/carton	5 pcs/bag, 50 pcs/carton

Reservoir

		
RES-190-F	RES-195-96SW	RES-185-384SW
Single Well, Middle Profile	Single Well, Middle Profile	Single Well, Middle Profile
Flat Channel	96 Channel	384 Channel
190 mL	195 mL	185 mL
		
127.76X85.48X31.5 mm	127.76X85.48X31.5 mm	127.76X85.48X31.5 mm
5 pcs/bag, 50 pcs/carton	5 pcs/bag, 50 pcs/carton	5 pcs/bag, 50 pcs/carton

Reservoir Accessories

	
P-C	RSB-B-I-S
Transparent Plate Cover	Wave breaker (sterilized)
Adaptation full range of reservoirs	Adaptation 96/384 channel reservoir
129.2X86X9.3 mm	111.5X75.2X11.5 mm
20 pcs/bag, 200 pcs/carton	20 pcs/box, 100 pcs/carton

Reagent Tank



10 mL Reagent Slot	Model	Volume(mL)	Type	Packing
	RES-PS10	10	Bulk	100 pc/bag
	RES-PS10-1S	10	Individual Pack, Sterilization	1 pc/bag, 100 bags/case
	RES-PS10-5S	10	5 pc/bag, Sterilization	5 pc/bag, 40 bags/case

25 mL Reagent Slot	Model	Volume(mL)	Type	Packing
	RES-PS25	25	Bulk	100 pc/bag
	RES-PS25-1S	25	Individual Pack, Sterilization	1 pc/bag, 100 bags/case
	RES-PS25-5S	25	5 pc/bag, Sterilization	5 pc/bag, 40 bags/case
50 mL Reagent Slot	Model	Volume(mL)	Type	Packing
	RES-PS50	50	Bulk	100 pc/bag
	RES-PS50-1S	50	Individual Pack, Sterilization	1 pc/bag, 100 bags/case
	RES-PS50-5S	50	5 pc/bag, Sterilization	5 pc/bag, 40 bags/case
65 mL Reagent Slot	Model	Volume(mL)	Type	Packing
	RES-PS65	65	Bulk	100 pc/bag
	RES-PS65-1S	65	Individual Pack, Sterilization	1 pc/bag, 100 bags/case
	RES-PS65-5S	65	5 pc/bag, Sterilization	5 pc/bag, 40 bags/case
100 mL Reagent Slot	Model	Volume(mL)	Type	Packing
	RES-PS100	100	Bulk	100 pc/bag
	RES-PS100-1S	100	Individual Pack, Sterilization	1 pc/bag, 100 bags/case
	RES-PS100-5S	100	5 pc/bag, Sterilization	5 pc/bag, 40 bags/case

Tube & Column

Product Features

Tube & Column



Imported Virgin Material

Imported medical grade polypropylene (PP).



High Temperature Sterilization

Autoclavable at 121°C/15psi.



Refrigerated

The minimum enduring temperature can reach - 80 °C.



Low Residue

Less residual liquid, less wall hanging phenomenon.



Chemical Resistance

Resistant to chemical reagent during use and storage.



Centrifugal Force

Can withstand a maximum centrifugal force of 12000g without damage or deformation.



Low Heavy Metal Content

High quality and low heavy metal content.




Traceable

All product package is coded for traceability.



The Application Of Centrifuge Tube



Column nucleic acid extraction is composed of adsorption column and collection tube. This method is suitable for extracting plasmids, viruses, DNA, RNA and so on.



- 1 **Black Scale**
Easy to read data.
- 2 **Convenience Mark**
Tube body with large marking area.
- 3 **Precise Size**
Compatible with all brands of centrifuge rotors and mixers.
- 4 **High Quality Materials**
Corrosion resistance, high centrifugal stability.
- 5 **Sterile And Pollution-free**
DNase-free, RNase-free, pyrogen-free.




Safe Lock Design



The double explosion-proof buckle design can ensure the stability of the sample under high speed centrifugal force. It has strong sealing performance to prevent sample evaporation, and with sterile and pyrogen-free.



Tube/Column




T-001

Centrifuge Tube
with long cap

1.5 mL

Centrifugal Force
12000g

50 pcs/bag, 100 bags/carton



T-002

Centrifuge Tube
with long cap

2.0 mL

Centrifugal Force
12000g

50 pcs/bag, 100 bags/carton



T-003

Spin Preparation Column
with ring

0.7 mL

Centrifugal Force
12000g

1000 pcs/bag, 10 bags/carton




T-004

Spin Gel Column
with ring

0.7 mL

Centrifugal Force
12000g

1000 pcs/bag, 10 bags/carton




T-005

micro centrifuge tube with cap

1.5 mL

Centrifugal Force
12000g

500 pcs/bag, 10 bags/carton



T-007

Purification Spin Column
Flat bottom/with cover and ring

0.7 mL

Centrifugal Force
12000g

1000 pcs/bag, 10 bags/carton




T-008

micro centrifuge tube
no cap, non-graduated

2.0 mL

Centrifugal Force
12000g

1000 pcs/bag, 15 bags/carton




T-009

Purification Spin Column
Including pressure ring

0.7 mL

Centrifugal Force
12000g

1000 pcs/bag, 10 bags/carton




CT-1.5

Centrifuge Tube
Double explosion proof buckle

1.5 mL

Centrifugal Force
12000g

500 pcs/bag, 10 bags/carton




CT-1.5-L

Double explosion proof buckle
Low retention

1.5 mL

Centrifugal Force
12000g

500 pcs/bag, 10 bags/carton




CT-2.0

Centrifuge Tube
Double explosion proof buckle

2.0 mL

Centrifugal Force
12000g

500 pcs/bag, 10 bags/carton



CT-2.0-L

Double explosion proof buckle
Low retention

2.0 mL

Centrifugal Force
12000g

500 pcs/bag, 10 bags/carton





Tube/Column

			
CT-15-S	CT-15-RS	CT-15SS-S	CT-15SS-RS
Centrifuge Tube sterilized	Centrifuge Tubes Rack mounted, sterilized	Centrifuge Tubes Can stand, sterilized	Stand mounted Can stand, sterilized
15 mL	15 mL	15 mL	15 mL
Centrifugal Force 12000g	Centrifugal Force 12000g	Centrifugal Force 12000g	Centrifugal Force 12000g
25 pcs/bag, 20 bags/carton	25 pcs/bag, 20 bags/carton	25 pcs/bag, 20 bags/carton	25 pcs/bag, 20 bags/carton

			
CT-50-S	CT-50-RS	CT-50SS-S	CT-50SS-RS
Centrifuge Tube sterilized	Centrifuge Tubes Rack mounted, sterilized	Centrifuge Tubes Can stand, sterilized	Stand mounted Can stand, sterilized
50 mL	50 mL	50 mL	50 mL
Centrifugal Force 12000g	Centrifugal Force 12000g	Centrifugal Force 12000g	Centrifugal Force 12000g
25 pcs/bag, 20 bags/carton	25/rack, 12/box	25 pcs/bag, 20 bags/carton	25/rack, 12/box

	
CT-50SSH-S	CT-50SSH-RS
Can stand, hexagonal bottom sterilization	Bracket mounted, can stand Hexagonal bottom, sterilized
50 mL	50 mL
Centrifugal Force 12000g	Centrifugal Force 12000g
25/rack, 12/box	25/rack, 12/box

Tube/Column Box

			
CTR-15	CTR-50	DWP-24PPK-C	DWP-24PPK-C-S
Centrifuge Tube Holder	Centrifuge Tube Holder	Centrifuge Tube Box	Centrifuge Tube Box
Adaptation 15 mL centrifuge tube	Adaptation 50 mL centrifuge tube	Adaptation T-005,CT-1.5,CT-2.0	Adaptation T-005,CT-1.5,CT-2.0
/	/	/	/
/	/	5 pcs/bag, 50 pcs/carton	5 pcs/bag, 50 pcs/carton

Tube/Column Package

		
Individually Rack	Bracket Packaging	Bagged Packing
Easy to use	Save space and reduce plastic waste by 60%	Save space and reduce plastic waste by 85%
24/box	25/rack	200 pcs/bag, 500 pcs/bag

Variety of sizes, types and packaging are available to meet needed.

Reagent Bottle

Product Features

Reagent Bottle



SBS International Standard

All products conform to SBS international standard, are compatible with most of pipette workstations.



Imported Virgin Material

The bottle body is made of Polyethylene (HDPE), and the bottle cap is made of Polypropylene (PP).



Non - Pyrogenic

Non - pyrogen, DNase/RNase Free.



Chemical Resistance

Resistant to chemical reagent during use and storage.



Linerless Lid Design

Do not use liners that can wrinkle, leak or contaminate the solution.



Wide Mouth Design

Facilitates liquid filling while reducing eddy currents during priming.



Low Heavy Metal Content

High quality and low heavy metal content.



Traceable

All product package is coded for traceability.





Type	Diameter (mm)				Height (mm)						Bottle Cap (mm)			
	A	Deviate	B	Deviate	C	Deviate	D	Deviate	E	Deviate	F	Deviate	G	Deviate
B-8mL	Ø24.6	±0.3	Ø17.3	±0.2	23.1	±0.4	41.4	±0.4	43.8	±0.4	Ø24.5	±0.3	14.8	±0.4
B-15mL	Ø24.2	±0.3	Ø17.3	±0.2	36.5	±0.4	55.3	±0.4	57.7	±0.4	Ø24.5	±0.3	14.8	±0.4
B-30mL	Ø33.7	±0.4	Ø25.5	±0.2	40	±0.5	58.4	±0.5	61.2	±0.5	Ø32.0	±0.4	15.2	±0.5
B-60mL	Ø38.6	±0.5	Ø24.8	±0.2	60	±0.8	81	±0.8	83.5	±0.8	Ø32.0	±0.4	15.2	±0.5
B-125mL	Ø49.7	±0.6	Ø32.1	±0.3	75.5	±0.8	94.2	±0.8	98.8	±0.8	Ø42.5	±0.6	16.6	±0.8
B-250mL	Ø60.1	±0.8	Ø36.3	±0.3	106.5	±1.0	127.7	±1.0	131.2	±1.0	Ø47.0	±0.8	16.6	±0.8
B-500mL	Ø71.7	±0.8	Ø47.3	±0.3	145.1	±1.0	163.3	±1.0	167.1	±1.0	Ø57.5	±0.8	17	±1.0
B-1000mL	Ø89.8	±1.5	Ø57	±0.4	173	±1.5	193.3	±1.5	199.7	±1.5	Ø68.7	±1.5	18.3	±1.5
B-1000mL-N	Ø91.8	±1.5	Ø34.6	±0.3	179.2	±1.5	212.5	±1.5	214.3	±1.5	Ø42.0	±1.5	30.5	±1.5

Reagent Bottle



B-8/B-8-B
Clear/Brown
8 mL
1000 sets/box



B-15/B-15-B
Clear/Brown
15 mL
1000 sets/box



B-30/B-30-B
Clear/Brown
30 mL
400 sets/box



B-60/B-60-B
Clear/Brown
60 mL
650 sets/box



B-125/B-125-B
Clear/Brown
125 mL
350 sets/box



B-250/B-250-B
Clear/Brown
250 mL
200 sets/box



B-500/B-500-B
Clear/Brown
500 mL
100 sets/box



B-1000/B-1000-B
Clear/Brown
1000 mL
50 sets/box



B-1000-N
Clear
1000 mL
50 sets/box

Serological Pipettes

Product Features

Reagent Bottle



USP Raw Material

USP grade VI polystyrene (PS) raw material.



High Temperature Sterilization

Autoclavable at 121°C/15psi.



Color Ring For Easier Identification

Different colors correspond to different specification, easy to distinguish.



Bidirectional Scale

There are ascending and descending scales to meet the requirements of simultaneous sampling and sampling reduction.



Non - Pyrogenic

Non - pyrogen, DNase/RNase Free.



Chemical Resistance

Resistant to chemical reagent during use and storage.



Low Heavy Metal Content

High quality and low heavy metal content.



Traceable

All product package is coded for traceability.

Serological Pipettes



The product is made of polystyrene (PS) conforming to USP grade VI. It can fit most of the pipettors on the market. This series of products are mainly used to accurately measure or transfer a certain volume of liquid.

Sterilization Packaging



Paper-Plastic Bags
Individually packaged in paper-plastic bags.



Plastic Bags
Individually packaged in plastic bags.

Precise Liquid Transfer




☒ **Color Ring** ●●●●●●
Different colors correspond to different specification, easy to distinguish.

☒ **High Quality Filters**
All serological pipettes are assembled with high quality filters, avoid cross contamination.

☒ **Scale Accuracy**
Clear Scale line makes the liquid drawing and reading easier.

☒ **Double Scale**
Excellent Double scale design ideally meet with the demand for liquid adding or reducing.



100 mL

50 mL

25 mL

10 mL

5 mL

2 mL


1 mL



纸塑单装

50 支/袋, 20 袋/箱


Model	Volume	Scale	Color Ring	Packing
SP01001	1 mL	1/100 mL		Paper-Plastic Bags, 50 pcs/bag, 20 bags/case
SP02001	1 mL	1/100 mL		Plastic Bags, 50 pcs/bag, 20 bags/case



Model	Volume	Scale	Color Ring	Packing
SP01002	2 mL	1/50 mL		Paper-Plastic Bags, 50 pcs/bag, 20 bags/case
SP02002	2 mL	1/50 mL		Plastic Bags, 50 pcs/bag, 20 bags/case




Model	Volume	Scale	Color Ring	Packing
SP01005	5 mL	1/10 mL		Paper-Plastic Bags, 50 pcs/bag, 10 bags/case
SP02005	5 mL	1/10 mL		Plastic Bags, 50 pcs/bag, 10 bags/case




Model	Volume	Scale	Color Ring	Packing
SP01010	10 mL	1/10 mL		Paper-Plastic Bags, 50 pcs/bag, 10 bags/case
SP02010	10 mL	1/10 mL		Plastic Bags, 50 pcs/bag, 10 bags/case


Compatible with all kinds of pipettes, suitable for measuring a certain volume of liquid and vacuum suction.



Model	Volume	Scale	Color Ring	Packing
SP01025	25 mL	2/10 mL		Paper-Plastic Bags, 25 pcs/bag,10 bags/case
SP02025	25 mL	2/10 mL		Plastic Bags, 25 pcs/bag, 10 bags/case



Model	Volume	Scale	Color Ring	Packing
SP01050	50 mL	1/2 mL		Paper-Plastic Bags, 25 pcs/bag, 8 bags/case
SP02050	50 mL	1/2 mL		Plastic Bags, 25 pcs/bag, 8 bags/case



Model	Volume	Scale	Color Ring	Packing
SP01100	100 mL	1 mL	○	Paper-Plastic Bags, 20 pcs/bag, 6 bags/case
SP02100	100 mL	1 mL	○	Plastic Bags, 20 pcs/bag, 6 bags/case

Compatible with a variety of pipettors, suitable for pipetting micro reagent from deep vessels.

Customized

OEM/ODM



Uniqueness

Exclusive agency agreement.



Adjustable

Adjust the parameter according to customer's requirements.



Cost-Effective

Replacement of imported consumables.



Stable Supply

Short delivery time, no stocking pressure.



DIY

Determine material/size/process according to specific needs.

OEM/ODM Process



Prepare



Provide Samples/Drawings



Communicate



Mold Design



Customer Confirmation



Mold Contract Confirm



Modeling



Design Improvement



Mold Making



Sample Making



Sample Detection
Mold Payment



Proofing



Sample Confirmation



Order Confirmation



Material Preparation



Production



Material In Storage



Machine Debugging



Sample Confirmation



Scale Production



Packaging



Products storage



Shipping



Order Payment



Sampling



Shipment



Delivery

Customization - the key to industry upgrading.